SECRET

## CENTRAL INTELLIGENCE AGENCY


## INFORMATION REPORT

This Document contains information affecting the National Defense of the United States, within the meaning of Title 18, Sections 793 and 794, of the U.S. Code, as amended. Its transmission or revelation of its contents to or receipt by an unauthorized person is prohibited by law. The reproduction of this form is prohibited.


COUNTRY	Poland		REPORT NO.	The state of the s	25X
SUBJECT	Explosives Plant a	nd Adjacent	DATE DISTR.	9 July 1953	
	Areas at Pionki		NO. OF PAGES	4	•
5XXX OF INFO.			REQUIREMENT NO.		25X
PLACE ACQUI	RED		REFERENCES		
	of the country of the	10 C 10 C		. 3.	25X
Point ;	long, 8 to 10 m. w	Red břick construide, two stories,	uction with gray plas		
Point ;	1. Pionki RR Stations long, 8 to 10 m. w 2. RR Tracks: Two nathey led towards D	Red břick construide, two stories, currow gauge tracks beblin 5134N-2105E	uction with gray plas red tile gable roof. led towards Radom. 22		
Point; #3, 4, 5X1	Pionki RR Stations long, 8 to 10 m. w  2. RR Tracks: Two na they led towards D  5. Private Homes: Va	Red brick construide, two stories, currow gauge tracks beblin 5134N-2105E	uction with gray plas red tile gable roof. led towards Radom. 22	, km. away; east	• •
Foint; #3, 4, 5X1 5X1	71. Pionki RR Station: long, 8 to 10 m. w  72. RR Tracks: Two na they led towards D  75. Private Homes: Va There	Red brick construide, two stories, construited tracks construited trac	uction with gray plas red tile gable roof. led towards Radom, 24 7 60 km. away.	km. away; east	• •
#3, 4, 5X1 5X1	1. Pionki RR Station: long, 8 to 10 m. w 2. RR Tracks: Two na they led towards D 5. Private Homes: Va There 46. Stadium: Stadium wide. The buildin 7. Natural Lake: 800	Red brick construide, two stories, arrow gauge tracks belin 5134N-2105E rious types were many more non and grounds belonging on stadium grounds	uction with gray plas red tile gable roof. led towards Radom, 24 60 km. away. mes than indicated on ing to the plant, 200 is was used as a club	km. away; east sketch m. long, 100 m. for plant.	25X
#3, 4, 5X1 5X1	71. Přonki RR Station: long, 8 to 10 m. v  72. RR Tracks: Two na they led towards D  75. Private Homea: Va There  76. Stadium: Stadium wide. The buildin  77. Natuřal Lake: 800 at points of ingre  88. Natuřal Lake: 500	Red brick constraints, the stories, the stories, the stories, the stories, the stories of the st	uction with gray plas red tile gable roof.  led towards Radom, 24 60 km. away.  mes than indicated on that to the plant, 200 ds was used as a club de, with two hand-op ne stream.  de. with two hand-op	km. away; east  sketch  m. long, 100 m. for plant. erated flood gates	
Point; 5X1 5X1 5X1	2. RR Tracks: Two nathey led towards In There  5. Private Homes: Va There  6. Stadium: Stadium wide. The buildin  7. Natural Lake: 800 at points of ingre  8. Natural Lake: 500 at points of ingrethe source of water	Red brick construide, two stories, the two stories, the two stories, the two stories, the two stories is the two stories and grounds belonging on stadium grounds and egress of the two stadium grounds and egress of the for the plant.	uction with gray plas red tile gable roof.  led towards Radom, 24 60 km. away.  mes than indicated on that to the plant, 200 ds was used as a club de, with two hand-op ne stream.  de. with two hand-op	km. away; east  sketch  m. long, 100 m. for plant. erated flood gates  erated flood gates	25X
Point;  5X1 5X1 #3, 4,	2. RR Tracks: Two nathey led towards In There  5. Private Homes: Va There  6. Stadium: Stadium wide. The buildin  7. Natural Lake: 800 at points of ingre  8. Natural Lake: 500 at points of ingrethe source of water	Red brick construide, two stories, the two stories, the two stories, the two stories, the two stories is the two stories and grounds belonging on stadium grounds and egress of the two stadium grounds and egress of the for the plant.	uction with gray plass red tile gable roof.  led towards Radom, 24  60 km. away.  les than indicated on the plant, 200 ls was used as a club lde, with two hand-op les stream.  de, with two hand-op les stream.	km. away; east  sketch  m. long, 100 m. for plant. erated flood gates  erated flood gates	25X

	Approved For Release (2005) 7/28 : CIA-RDP80-00810A0015 00840001-2 25X
	<del>-2-</del> 25X
	O. Plant Workers Homes: Concrete construction, 40 m.long, 15 m. wide, three stories, flat roofs. Many homes were in this area, all built alike.
25X1	
#1: 25X1	Small Church 25X
#12	Plant Entrance Gate: Steel picket construction, opening inward, 12 m. wide, 3½ m. high. A small guard shack at gate entrance housed an armed plant guard and KBW man (Korpus Bezpieczenstwa Wewnetrznego - Corps of Internal Security). There was also another entrance with railroad tracks somewhere near the gate.
#13	Plant Office Building: Concrete construction, 50 m. long, 25 m. wide, 3 stories, flat roof; utilized for plant administration and guards.
#14	Explosives Plant Area: Covered a wooded area of 10 to 12 sq. km., surrounded by a barbed wire fence, $2\frac{1}{2}$ m. high next to a ditch in the plant grounds, fence 250 to 300 m. from railroad tracks /Foint #2/. The wooded area was a perfect camouflage and prevented anyone from seeing any buildings, structures or activity on the plant grounds. The city of Pionki had a very strong odor of ether and alcohol.
25X1	
25X1 #15	b. There were many high revetments, of concrete construction and earth-covered, in the plant area. This plant was the largest of its kind in Poland; it employed 3,000 workers and its prime purpose was to supply an ammunitions factory in Skarzysko-Kamienna /5107N-2054E7 with cylindrical grains of nitrocellulose, explosive powders, a type of black, triangular grain of explosive, and other types of explosives.  Chard Shacks, Utilized as weet for concrete construction 25000000000000000000000000000000000000
#16 & 17	post tot an armed prant guard.

SECRET







5120N 2130E

Overlay of GSGS 4416 Sheet Q-16 Pinpointing Pionki Explosives Plant

SECRET